

WEST Search History

DATE: Monday, July 17, 2006

<u>Hide?</u>	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<input type="checkbox"/>	L25	L24 and "normal mode"	4
<input type="checkbox"/>	L24	L23 and "sleep mode"	11
<input type="checkbox"/>	L23	L22 and "fingerprint"	1611
<input type="checkbox"/>	L22	hewlett packard.asn.	98988
<input type="checkbox"/>	L21	L17 and "normal mode"	0
<input type="checkbox"/>	L20	L17 and "automatic mode"	0
<input type="checkbox"/>	L19	L17 and "inactive mode"	0
<input type="checkbox"/>	L18	L17 and "sleep mode"	0
<input type="checkbox"/>	L17	L16 and "fingerprint"	55
<input type="checkbox"/>	L16	ibm.asn.	49039
<input type="checkbox"/>	L15	L11 and "automatic mode"	1
<input type="checkbox"/>	L14	L11 and "normal mode"	0
<input type="checkbox"/>	L13	L11 and "inactive mode"	0
<input type="checkbox"/>	L12	L11 and "sleep mode"	0
<input type="checkbox"/>	L11	L10 and "fingerprint"	254
<input type="checkbox"/>	L10	microsoft.asn.	25882
<input type="checkbox"/>	L9	L8 and "fingerprint"	2
<input type="checkbox"/>	L8	acer.asn.	1963
<input type="checkbox"/>	L7	"inactive mode" near "normal mode"	2
<input type="checkbox"/>	L6	L1 and "fingerprint"	4
<input type="checkbox"/>	L5	L1 with "fingerprint"	0
<input type="checkbox"/>	L4	L1 near "fingerprint"	0
<input type="checkbox"/>	L3	L1 with "authentication"	1
<input type="checkbox"/>	L2	L1 near "authentication"	0
<input type="checkbox"/>	L1	"sleep mode" near "normal mode"	164

END OF SEARCH HISTORY

[Sign in](#)
[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 444 for normal mode, fingerprint, authentication, computer "sleep mode". (0.6s)

[\[PDF\] MBF200 Solid-State Fingerprint Sensor](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

authentication. The Fujitsu MBF200 solid-state **fingerprint** sensor is a ... 'sleep' mode and generate an interrupt when a finger is detected. ...

www.fujitsu.com/downloads/MICRO/fma/pdf/mbf200_fs.pdf - [Similar pages](#)

[HP Compaq nw9440 Notebook PC - North America/US](#)

[QuickSpecs](#)

Sleep mode: 20 mW (max). Power Management, ACPI compliant power management ...

hardware-accelerated AES, 802.1x **authentication** types EAP-TLS, EAP-TTLS, ...

h18000.www1.hp.com/products/quickspecs/12451_na/12451_na.HTML - 192k -

Cached - [Similar pages](#)

Sponsored Links

[User Login Problems](#)

Eliminate Lost Passwords for Computers, Data, Networks

www.Privaris.com

[\[PDF\] HP Compaq nx9420 Notebook PC](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Biometric sensor for **fingerprint authentication**, ... **Idle mode**. 3. : 390 mW (nominal).

Sleep mode: 20 mW (max). Power Management ...

h18000.www1.hp.com/products/quickspecs/12427_na/12427_na.PDF - [Similar pages](#)

[\[PDF\] Biometric User Authentication](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

implementation of **fingerprint authentication** into a notebook **computer**. Additional

information on this ... System should successfully go into **sleep mode**. ...

www.intel.com/design/mobile/platform/downloads/FingerprintSensorProductGuidelines.pdf

- [Similar pages](#)

[\[PDF\] A 500-dpi ac capacitive hybrid flip-chip cmos asic/sensor module ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

In the initial state, the sensor is in **sleep mode**, ... **Fingerprint** image from image-sensing

circuits. (a) Automatic gain and, offset normalized image. ...

www.sintef.no/upload/IKT/9032/jssc_12_03.pdf - [Similar pages](#)

[\[PDF\] HP Compaq nx6320/nc6320 Notebook PCs](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Biometric sensor for **fingerprint authentication**. (standard in all regions other than ... **Sleep**

Mode. 1.7mA – 3.5mA. Power Management. USB selective suspend ...

www.zebra.ee/Shop/Assets/Documents/12428_div.pdf - [Similar pages](#)

[\[PDF\] March '06](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

biometric readers (**fingerprint** readers). Other **authentication** protocols ... go off after a certain amount of time, the iPod will enter **sleep mode** with you ...

www.smmug.org/files/03-06%20SMMUG%20NL.pdf - [Similar pages](#)

[Public access CPR and AED device - Patent 6690969](#)

The system can be designed to start up as any computerized system, either from a completely un-powered condition or from a **sleep mode**, in which the **computer** ...

www.freepatentsonline.com/6690969.html - 51k - Cached - [Similar pages](#)

Tool Kit Listing v3.3.20

It lets to work on **normal mode** (fast) and **hard mode** (more intensive). ... fingerprints that closely look like the target's public key **fingerprint**. ...

www.usssysadmin.com/operator/tools_list.html - 214k - Cached - Similar pages

Telecommunications patents 200505 Telecommunications patents ...


20050113064 - Charge - all mode for calls in telecommunication network : A ... supply of an electric power to a **fingerprint authentication** unit (60)

www.freshpatents.com/Telecommunications-dt200505ntc455.php - 292k - Supplemental Result - Cached - Similar pages

Try your search again on Google Book Search

Gooooooooooooogle ►
Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

See all your photos right in your Sidebar.
Free! [Download Google Desktop.](#)



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 [Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((sleep mode, fingerprint, authentication, computer, normal mode<in>metadata) <or> (...")

[e-mail](#)

Your search matched 494970 of 1373978 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.» [Search Options](#)[View Session History](#)[New Search](#)» [Other Resources](#)
(Available For Purchase)

Top Book Results

[Empirical Evaluation Techniques in Computer Vision](#)by Bowyer, K. W.; Phillips, P. J.;
Paperback, Edition: 1[Contemporary Cryptology](#)by Simmons, G. J.;
Paperback, Edition: 1[Splash 2](#)by Buell, D. A.; Arnold, J. M.;
Kleinfelder, W. J.;
Hardcover, Edition: 1[Managing IP Networks](#)by Aidarous, S.; Plevyak, T.;
Levine, P.; Martins, J.; Stiller, B.;
Sherif, M. H.; Fumagalli, A.; Aracil, J.;
Valcarenghi, L.;
Hardcover, Edition: 1[Microsoft Rising](#)by Lewis, T. G.;
Paperback, Edition: 1[View All 163 Result\(s\)](#)» [Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

[Search](#)
 Check to search only within this results setDisplay Format: Citation Citation & Abstract
[view selected items](#)
[Select All](#)
[Deselect All](#)
View: 1-25 | [26-5](#)

- 1. **Design of portable biometric authenticators - energy, performance, and s**
Hwang, D.D.; Verbauwheide, I.;
[Consumer Electronics, IEEE Transactions on](#)
Volume 50, Issue 4, Nov. 2004 Page(s):1222 - 1231
Digital Object Identifier 10.1109/TCE.2004.1362523
[AbstractPlus](#) | Full Text: [PDF\(487 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
- 2. **A fast and memory efficient approach for fingerprint authentication syste**
Allah, M.M.A.;
[Proceedings. IEEE Conference on Advanced Video and Signal Based Surveillance](#)
15-16 Sept. 2005 Page(s):259 - 263
Digital Object Identifier 10.1109/AVSS.2005.1577277
[AbstractPlus](#) | Full Text: [PDF\(525 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- 3. **A 500-dpi AC capacitive hybrid flip-chip CMOS ASIC/sensor module for fi**
navigation, and pointer detection with on-chip data processing
Vermesan, O.; Riisnaes, K.H.; Le Pailleur, L.; Nysaether, J.B.; Bauge, M.; Rus
S.; Blystad, L.-C.; Grindvoll, H.; Pedersen, R.; Pezzani, R.; Kaire, D.;
[Solid-State Circuits, IEEE Journal of](#)
Volume 38, Issue 12, Dec 2003 Page(s):2288 - 2296
Digital Object Identifier 10.1109/JSSC.2003.819175
[AbstractPlus](#) | Full Text: [PDF\(734 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
- 4. **Comparing passwords, tokens, and biometrics for user authentication**
O'Gorman, L.;
[Proceedings of the IEEE](#)
Volume 91, Issue 12, Dec 2003 Page(s):2021 - 2040
Digital Object Identifier 10.1109/JPROC.2003.819611
[AbstractPlus](#) | Full Text: [PDF\(609 KB\)](#) | Full Text: [HTML](#) [IEEE JNL](#)
[Rights and Permissions](#)
- 5. **Biometric cryptosystems: issues and challenges**
Uludag, U.; Pankanti, S.; Prabhakar, S.; Jain, A.K.;
[Proceedings of the IEEE](#)
Volume 92, Issue 6, June 2004 Page(s):948 - 960

Digital Object Identifier 10.1109/JPROC.2004.827372

[AbstractPlus](#) | Full Text: [PDF\(512 KB\)](#) | Full Text: [HTML](#) IEEE JNL
[Rights and Permissions](#)

6. **Biometrics: a tool for information security**

Jain, A.K.; Ross, A.; Pankanti, S.;
[Information Forensics and Security, IEEE Transactions on](#)
Volume 1, Issue 2, June 2006 Page(s):125 - 143
Digital Object Identifier 10.1109/TIFS.2006.873653

[AbstractPlus](#) | Full Text: [PDF\(3016 KB\)](#) IEEE JNL
[Rights and Permissions](#)

7. **An identity-authentication system using fingerprints**

Jain, A.K.; Lin Hong; Pankanti, S.; Bolle, R.;
[Proceedings of the IEEE](#)
Volume 85, Issue 9, Sept. 1997 Page(s):1365 - 1388
Digital Object Identifier 10.1109/5.628674

[AbstractPlus](#) | References | Full Text: [PDF\(704 KB\)](#) IEEE JNL
[Rights and Permissions](#)

8. **Table of contents**

[Vehicular Technology Conference, 2004. VTC2004-Fall. 2004 IEEE 60th](#)
Volume 7, 26-29 Sept. 2004 Page(s):xiii - lxxxvi
Digital Object Identifier 10.1109/VETECF.2004.1404959

Full Text: [PDF\(2056 KB\)](#) IEEE CNF
[Rights and Permissions](#)

9. **Table of contents**

[Vehicular Technology Conference, 2004. VTC2004-Fall. 2004 IEEE 60th](#)
Volume 6, 26-29 Sept. 2004 Page(s):xiii - lxxxvi
Digital Object Identifier 10.1109/VETECF.2004.1404792

Full Text: [PDF\(2056 KB\)](#) IEEE CNF
[Rights and Permissions](#)

10. **Table of contents**

[Vehicular Technology Conference, 2004. VTC2004-Fall. 2004 IEEE 60th](#)
Volume 2, 26-29 Sept. 2004 Page(s):xiii - lxxxvi
Digital Object Identifier 10.1109/VETECF.2004.1400122

Full Text: [PDF\(2056 KB\)](#) IEEE CNF
[Rights and Permissions](#)

11. **Table of contents**

[Vehicular Technology Conference, 2004. VTC2004-Fall. 2004 IEEE 60th](#)
Volume 3, 26-29 Sept. 2004 Page(s):xiii - lxxxvi
Digital Object Identifier 10.1109/VETECF.2004.1400290

Full Text: [PDF\(775 KB\)](#) IEEE CNF
[Rights and Permissions](#)

12. **Table of contents**

[Vehicular Technology Conference, 2004. VTC2004-Fall. 2004 IEEE 60th](#)
Volume 1, 26-29 Sept. 2004 Page(s):xiii - lxxxvi
Digital Object Identifier 10.1109/VETECF.2004.1399895

Full Text: [PDF\(775 KB\)](#) IEEE CNF
[Rights and Permissions](#)

13. **Table of contents**

[Vehicular Technology Conference, 2004. VTC2004-Fall. 2004 IEEE 60th](#)
Volume 4, 26-29 Sept. 2004 Page(s):xiii - lxxxvi

Digital Object Identifier 10.1109/VETECF.2004.1400461

Full Text: [PDF\(784 KB\)](#) IEEE CNF

[Rights and Permissions](#)

- 14. Platform-based design for an embedded-fingerprint-authentication device
Schaumont, P.; Hwang, D.; Verbauwheide, I.;
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)
Volume 24, Issue 12, Dec. 2005 Page(s):1929 - 1936
Digital Object Identifier 10.1109/TCAD.2005.853709
[AbstractPlus](#) | Full Text: [PDF\(560 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- 15. A 0.5-V 25-MHz 1-mW 256-kb MTCMOS/SOI SRAM for solar-power-operated personal digital equipment - sure write operation by using step-down negative overdriven bitline scheme
Shibata, N.; Kiya, H.; Kurita, S.; Okamoto, H.; Tan'no, M.; Douseki, T.;
[Solid-State Circuits, IEEE Journal of](#)
Volume 41, Issue 3, March 2006 Page(s):728 - 742
Digital Object Identifier 10.1109/JSSC.2005.864124
[AbstractPlus](#) | Full Text: [PDF\(2056 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- 16. Fingerprint Authentication Device Based on Optical Characteristics Inside
Sano, E.; Maeda, T.; Nakamura, T.; Shikai, M.; Sakata, K.; Matsushita, M.; Saeki, T.;
[Computer Vision and Pattern Recognition Workshop, 2006 Conference on](#)
17-22 June 2006 Page(s):27 - 27
Digital Object Identifier 10.1109/CVPRW.2006.83
[AbstractPlus](#) | Full Text: [PDF\(320 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- 17. Digital identity
Camp, J.L.;
[Technology and Society Magazine, IEEE](#)
Volume 23, Issue 3, Fall 2004 Page(s):34 - 41
Digital Object Identifier 10.1109/MTAS.2004.1337889
[AbstractPlus](#) | References | Full Text: [PDF\(1249 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- 18. An Identification System Combined with Fingerprint and Cryptography
Hao Li; Peishun Liu;
[Computer and Computational Sciences, 2006. IMSCCS '06. First International Symposium on](#)
Volume 2, 20-24 April 2006 Page(s):105 - 108
Digital Object Identifier 10.1109/IMSCCS.2006.182
[AbstractPlus](#) | Full Text: [PDF\(160 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- 19. Using continuous biometric verification to protect interactive login sessions
Kumar, S.; Sim, T.; Janakiraman, R.; Sheng Zhang;
[Computer Security Applications Conference, 21st Annual](#)
5-9 Dec. 2005 Page(s):10 pp.
Digital Object Identifier 10.1109/CSAC.2005.61
[AbstractPlus](#) | Full Text: [PDF\(480 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- 20. Authentication gets personal with biometrics
Ortega-Garcia, J.; Bigun, J.; Reynolds, D.; Gonzalez-Rodriguez, J.;
[Signal Processing Magazine, IEEE](#)
Volume 21, Issue 2, Mar 2004 Page(s):50 - 62

Digital Object Identifier 10.1109/MSP.2004.1276113

[AbstractPlus](#) | Full Text: [PDF\(761 KB\)](#) IEEE JNL
[Rights and Permissions](#)

21. Parasitic authentication to protect your e-wallet

Ebringer, T.; Thorne, P.; Zheng, Y.;
[Computer](#)

Volume 33, Issue 10, Oct. 2000 Page(s):54 - 60
Digital Object Identifier 10.1109/2.876293

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(404 KB\)](#) IEEE JNL
[Rights and Permissions](#)

22. Malware defense using network security authentication

Antrosiom, J.V.; Fulp, E.W.;
[Information Assurance, 2005. Proceedings. Third IEEE International Workshop](#)
23-24 March 2005 Page(s):43 - 54

Digital Object Identifier 10.1109/IWIA.2005.11

[AbstractPlus](#) | Full Text: [PDF\(160 KB\)](#) IEEE CNF
[Rights and Permissions](#)

23. Subject Index

[Consumer Electronics, IEEE Transactions on](#)
Volume 46, Issue 4, Nov. 2000 Page(s):1185 - 1202
Digital Object Identifier 10.1109/TCE.2000.920477

[AbstractPlus](#) | Full Text: [PDF\(2364 KB\)](#) IEEE JNL
[Rights and Permissions](#)

24. 1997 Index Proceedings Of The IEEE Vols. 83-85

[Proceedings of the IEEE](#)
Volume 85, Issue 12, Dec. 1997 Page(s):1 - 47
Digital Object Identifier 10.1109/JPROC.1997.650187

[AbstractPlus](#) | Full Text: [PDF\(1884 KB\)](#) IEEE JNL
[Rights and Permissions](#)

25. Biometric Authentication for Web-Based Course Examinations

Auerheimer, B.; Tsai, M.J.;
[System Sciences, 2005. HICSS '05. Proceedings of the 38th Annual Hawaii International Conference on](#)
03-06 Jan. 2005 Page(s):294b - 294b

Digital Object Identifier 10.1109/HICSS.2005.120

[AbstractPlus](#) | Full Text: [PDF\(136 KB\)](#) IEEE CNF
[Rights and Permissions](#)

View: [1-25](#) | [26-5](#)

[Help](#) [Contact Us](#) [Privacy & Terms](#)

© Copyright 2006 IEEE -

 **PORTAL**
USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: The ACM Digital Library The Guide

+sleep, +mode, +normal, +authentication, +fingerprint, +com

SEARCH

THE ACM DIGITAL LIBRARY

 [Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

sleep mode normal authentication fingerprint computer inactive automatic terminal biometric pc Found 1 of 178,880

Sort results by

relevance

Save results to a Binder

Try an [Advanced Search](#)

Display results

expanded form

Search Tips
 Open results in a new window

Try this search in [The ACM Guide](#)

Results 1 - 1 of 1

Relevance scale 

1  **Columns: Risks to the public in computers and related systems** 

Peter G. Neumann

January 2001 **ACM SIGSOFT Software Engineering Notes**, Volume 26 Issue 1

Publisher: ACM Press

Full text available:  pdf(3.24 MB) Additional Information: [full citation](#)

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

	L #	Search Text	DBs	Time Stamp	Hits
1	L1	(automatic or sleep) near (mode) near (normal) near (mode)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/07/17 15:03	529
2	L2	(inactive or sleep or automatic) near (mode) near (normal) near (mode)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/07/17 15:04	560
3	L3	L1 and L2	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/07/17 15:04	529

	L #	Search Text	DBs	Time Stamp	Hits
4	L4	L3 and(authentication) near (fingerprint)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/07/17 15:05	0
5	L5	(authentication) near (fingerprint) near (computer or terminal or pc)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/07/17 15:05	16
6	L6	L5 and L3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/07/17 15:05	0

	L #	Search Text	DBs	Time Stamp	Hits
7	L7	L5 and L2	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/07/17 15:05	0
8	L8	L5 and L1	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/07/17 15:05	0
9	L9	ibm.asn. and L3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/07/17 15:06	0

	L #	Search Text	DBs	Time Stamp	Hits
10	L10	microsoft.asn. and L3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/07/17 15:06	0
11	L11	hewlett packard.asn. and L3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/07/17 15:06	98320
12	L12	acer.asn. and L3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/07/17 15:06	0

	L #	Search Text	DBs	Time Stamp	Hits
13	L13	L5 and (sleep or inactive) near (mode)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/07/17 15:07	0
14	L14	L5 and (normal mode)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/07/17 15:07	5
15	L15	L14 and (sleep mode)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/07/17 15:07	4

	L #	Search Text	DBs	Time Stamp	Hits
16	L16	L15 and (inactive mode)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/07/17 15:07	4